



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/850,067	05/08/2001	Po-Sheng Shih	SUND 194	9155
23995	590 12/01/2004		EXAMINER	
RABIN & Berdo, PC			SAFAIPOUR, HOUSHANG	
1101 14TH STREET, NW SUITE 500		ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20005			2622	

DATE MAILED: 12/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/850,067	SHIH ET AL.				
Office Action Summary	Examiner	Art Unit				
	Houshang Safaipour	2622				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S. C. § 133).				
Status	-					
1) Responsive to communication(s) filed on						
2a) This action is FINAL . 2b) ⊠ This	☐ This action is FINAL . 2b) ☑ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-19 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on 08 May 2001 is/are: a)[r election requirement. r. □ accepted or b)⊠ objected to l	·				
Applicant may not request that any objection to the	•	,				
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex	* '	,				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) 🔲 Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		ratent Application (PTO-152)				

Art Unit: 2622

DETAILED ACTION

Drawings

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because coordinates of point 326 should be (X₂,Y₂). Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Tsai (U.S. Patent No. 6,229,629).

Regarding claim 1, Tsai discloses a method for positioning a scanning starting point of an image scanning apparatus, wherein the image scanning apparatus comprises a platen having an orthogonal X-Y coordinate system and for a document to be placed thereon, a carriage disposed in the image scanning apparatus and moving along a Y direction from a starting line for capturing an image of the document to be scanned, and a plurality of marks inside the image scanning apparatus for indicating different Y coordinate values, an X-axis being defined by a

Art Unit: 2622

first wide margin of the platen and a Y-axis being defined by a first long margin of the platen, the method comprising the following steps: (a) choosing one of the marks as a reference point, which is the nearest mark to the document to be scanned; (b) obtaining a vector from an image starting point of the document to be scanned to the reference point; and (c) moving the carriage to the reference point, which is chosen as a starting point, and proceeding to scan (figs. 3 & 4, col. 4 line 1 through col. 5 line 24).

Regarding claim 2, Tsai discloses, the method according to claim 1, wherein the magnitude of the vector is the difference in magnitude between the image starting point and the reference point (fig. 4, col. 4 line 37 through col. 5, line 24).

Regarding claim 3, Tsai discloses, the method according to claim 2, wherein the coordinates of the vector are (x, y) in the step (b), the coordinates of the image starting point are (x.sub.n+x, y.sub.n+y) when the coordinates of the image starting point are (x.sub.n, y.sub.n) (figs. 3 & 4, col. 4 line 1 through col. 5 line 24).

Regarding claim 4, Tsai discloses, the method according to claim 3, wherein the carriage in step (c) starts to scan from the position with an X coordinate value of x.sub.n+x (fig. 4).

Regarding claim 5, Tsai discloses, the method according to claim 1, wherein some of the marks have negative Y coordinate values (fig. 3, all points under point at home position (0,0)).

Regarding claim 6, Tsai discloses, the method according to claim 1, wherein the marks are located at a second long margin of the platen (figs. 3 & 4).

Regarding claim 7, Tsai discloses, the method according to claim 1, wherein the marks have the same X coordinate value (fig. 3).

Art Unit: 2622

Regarding claim 8, Tsai discloses, the method according to claim 1, wherein the intersection of the X-axis and Y-axis is an origin and the image starting point is the nearest point to the origin among the points located within the image (fig. 3).

Regarding claim 9, Arguments analogous to those presented for claim 1 are applicable to claim 9.

Regarding claim 10, Tsai discloses, an apparatus for positioning a scanning starting point of an image scanning apparatus, comprising: a platen for a document to be placed thereon and having an orthogonal X-Y coordinate system, wherein the X-Y coordinate system comprises an X-axis defined by a first wide margin of the platen and a Y-axis defined by a first long margin of the platen; a carriage disposed in the image scanning apparatus and moving along the Y direction from a starting line for capturing an image of the document to be scanned; and a plurality of marks inside the image scanning apparatus for indicating different Y coordinate values as the reference points for the carriage to capture the images of the document to be scanned (fig. 3, image pick up device 311).

Regarding claim 11, Tsai discloses, the apparatus according to claim 10, wherein the marks are located at a second long margin of the platen (figs. 3 & 4).

Regarding claim 12, Tsai discloses, the apparatus according to claim 10, wherein the marks are lines perpendicular to the Y direction (fig. 3).

Regarding claim 13, Tsai discloses, the apparatus according to claim 10, wherein the marks are rectangles, and one corner of one rectangle is chosen as the reference point (fig. 4, JEBA).

Regarding claim 14, Tsai discloses, the apparatus according to claim 10, wherein the marks are isosceles right-angled triangles, one of two equal sides of the isosceles right-angled triangle is parallel to X-axis while the other is parallel to Y-axis, and one corner with the bigger Y coordinate value of one isosceles right-angled triangle is chosen as the reference point (fig. 4, triangles AJK & BEU).

Regarding claim 15, Tsai discloses, the apparatus according to claim 10, wherein the marks are crosses, and the intersection of one cross is chosen as the reference point (fig. 4).

Regarding claim 16, Tsai discloses, the apparatus according to claim 10, wherein the platen is made of glass (platform 32).

Regarding claim 17, Tsai discloses, the apparatus according to claim 10, wherein the marks are located in a marking group area (fig. 3).

Regarding claim 18, Tsai discloses, the apparatus according to claim 10 further comprising a casing for protecting the apparatus (fig. 3).

Regarding claim 19, Tsai discloses, the apparatus according to claim 18 further comprising a groove inside the casing for placing and steadying the marking group area (fig. 3).

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Houshang Safaipour whose telephone number is (703)306-4037. The examiner can normally be reached on Mon.-Thurs. from 6:30am to 5:00pm.

Art Unit: 2622

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L Coles, Sr. can be reached on (703)305-4712. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Houshang Safaipour Patent Examiner Art Unit 2622 November 23, 2004

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600